

Home

Profile

Products

Contact

Email

Feedback

Quality

Copper and G.I. Electrical Accessories galvanised Iron Electrical Accessories Junction Boxes Conduit Boxes



Brand Name:

- Jamnagar Brass Components

Key Specifications/Special Features:

- Brass and Aluminium BW, CW, E1W, A-2, ALCO, TRS, flame-proof type cable glands which are used with underground armored and unarmored cables
- Cable glands available in kit and bulk packing
- Brass male-female conduit bushes, fittings adaptor for flexible conduits
- Brass clamps, couplers, earth tags, saddles for earthing
- Brass air terminal bases to fit in air rods
- Brass test clamps used in disconnecting joints
- Brass neutral links electrical accessories for panel boards
- Tinned Copper cable lugs terminals and links used with cable glands and underground cables
- G.I. junction boxes conduit fittings and accessories

A1 / A2 BRASS CABLE GLANDS Features :

Highly suitable for Unarmoured cables.

It can also be used on Plastic or Rubber sheathed cables.

Used for indoor and outdoor applications. Also available in Aluminium

Gland sizes : 20mm to 90mm (S & L)

BW BRASS CABLE GLANDS Features :

Most suitable glands for Single Wire Armoured (SWA), Plastic or Rubber (Elastomer) sheathed cables.

Generally used in dry indoor conditions.

Available in two part (without lock ring) and three part (with lock ring) design.

BW glands are also supplied with integral earth facilities. Also available in Aluminum

Gland sizes : 20 mm to 75 mm (S&L).

CW BRASS CABLE GLANDS Features :

Most suitable for SWA, Plastic & Rubber sheathed cable. Terminates and secures cable armouring and outer seal grips sheath of cable, thus ensuring mechanical strength and earth continuity. CW Brass glands are also supplied with integral earth facilities.

CW glands are also available in Aluminium.

Gland size : 20 mm to 75 mm (S&L)

E1W BRASS CABLE GLANDS Features :

Suitable for SWA, Plastic & Rubber sheathed cables. Provided with inner & outer seals. Used in most climatic conditions. Ensures earth continuity. EIW Brass glands are also supplied with integral earth

facilities. EIW Glands are also available in Aluminium.

Gland size : 20 mm to 75 mm (S&L)

TRS BRASS CABLE GLANDS Features :

Suitable for unarmoured, Plastic or Rubber sheathed cables.

Gland size : Metric : 16, 20S, 20L, 25 & 32

Primary Competitive Advantages:

- Product Performance
- BS6121 Approval for Cable glands of BW range
- largest range of cable glands
- Competitive Price from largest Indian Supplier of Brass cable glands Exporters manufacturers exporter manufacturer suppliers from India
- Inhouse Brass Aluminium foundry helps to offer competitive rates for Brass Aluminium cable glands
- Prompt Delivery

Main Export Markets:

- Copper and G.I. Electrical Accessories galvanised Iron Electrical Accessories Junction Boxes Conduit Boxes exported to U.K., Italy, Germany , USA ,Trinidad, West Indies, Caribbean Islands, Singapore , Hong Kong, Cyprus, Australia ,

[BRASS CABLE GLANDS CONDUIT FITTINGS Brass Aluminium A2 BW CW E1W TRS type glands](#) [CABLE GLANDS CONDUIT FITTINGS CABLE GLANDS Brass Aluminium A2 BW CW E1W TRS type glands](#) [CABLE GLANDS CONDUIT FITTINGS CABLE GLANDS Brass Aluminium A2 BW CW E1W TRS type glands](#) [CONDUIT FITTINGS BRASS CABLE GLANDS BRASS CABLE GLANDS CONDUIT FITTINGS Brass Aluminium A2 BW CW E1W TRS type glands](#) [CABLE GLANDS CONDUIT FITTINGS CABLE GLANDS Brass Aluminium A2 BW CW E1W TRS](#)

Fax: +91-22-22834046, +91-22-40023682

sales@jambrass.com